



Section/division AIRWORTHINESS: AIRCRAFT MAINTENANCE ORGANISATION Form Number: CA 145-19a

Telephone number: 011-545-1000 Email: airworthiness@caa.co.za

Physical address: Ikhaya Lokundiza, 12 Byls Bridge Boulevard, Building No 2, Byls Bridge Office Park, Centurion

Postal address: Private Bag X73, Halfway House 1685 Website: www.caa.co.za

OPERATIONS SPECIFICATIONS FOR AIRCRAFT MAINTENANCE ORGANISATIONS

Name of Organisation		Global Aerotech (PTY) LTD			
Approval Number		SACAA.OPSSPEC.1287	Opspecs Revision status		24
PART A	TABLE OF CONTENTS, LIST OF EFFECTIVE PAGES, AND RATINGS AUTHORITY				
Table of Contents	List of effective Pages	Page revision	Effective date	Authorized	Unauthorized or N/A
Table of Contents, LEP's & Rating authority	Page 1	24	20/03/2026	X	
Definitions and abbreviations	Page 2	24	20/03/2026	X	
Category A-Ratings	Page 3	24	20/03/2026	X	
Category B-Ratings	Page 4	24	20/03/2026	X	
Category C-Ratings	Page 5	24	20/03/2026	X	
Category D-Ratings	Page 6	24	20/03/2026	X	
Category E-Ratings	Page 7				X
Category W-Ratings	Page 8	24	20/03/2026	X	
Category X-Ratings	Page 9	24	20/03/2026	X	
Limited Rating	Page 10				X
Exemption and deviation Authority	Page 11				X
Satellite Facilities & Line station Ratings	Page 12	24	20/03/2026	X	
Notes:					
a	These specific operating provisions are issued as part of this Approved Maintenance Organisation Certificate, and are in effect as of the Effective Date.				
b	The Opspecs may be customised to better suit the organisation approval. This may be done by deleting all sections that are not applicable; however Part A of this Opspecs has to account for these Ratings as not applicable.				
c	The signatures below indicates acceptance of these provisions by the AMO, and confirmation to abide and comply with the limitations as imposed. The Director of Civil Aviation reserves the right to amend, revoke and alter these Specification at any given time should circumstances warrant such.				
I hereby accept the conditions and limitations set forth in this approval as stated and contained in this paragraph.					
		H.G. Kruger		25/03/2026	
SIGNATURE OF AMO REPRESENTATIVE		NAME IN BLOCK LETTERS		DATE	
JOB TITLE	Manager, Quality Assurance 145				

PART B	DEFINITIONS AND ABBREVIATIONS
Unless otherwise defined in these operation specifications provisions, all words, phrases, definitions, and abbreviations have identical meanings to those used in the South African Civil Aviation Regulations and Civil Aviation Act, as amended. Additionally, the definitions listed below are applicable to operations conducted in accordance with these operations specifications provisions.	
AMO	Aircraft Maintenance Organisation
AMP	Aircraft Maintenance Programme
SACAA	South African Civil Aviation Authority
CAR	Civil Aviation Regulations
MOP	Manual of Procedure
Certificate Holder	In these operation specifications provisions the term “certificate holder” shall mean the holder of an aircraft maintenance organisation certificate, issued in terms of Part 145 of the South African Civil Aviation Regulations of 2011 as amended.
Rating	Means an authorization entered on or associated with an AMO approval and forming part of such approval, stating special conditions, privileges or limitations relating to such approval. Privileges are defined in CAR 145.
Maintenance	Means the performance of tasks required to ensure the continuing airworthiness of an aircraft, including any one or combination of overhaul, inspection, replacement, defect rectification, and the embodiment of a modification or repair.
Category	Classification of aircraft maintenance activities into airframe maintenance (Cat ‘A’), Airframe components, equipment and accessories maintenance (Cat ‘B’), engines onwing maintenance (Cat. ‘C’), engine/components overhaul (Cat ‘D’), Maintenance on rotorcraft and their engines (Cat ‘E’), aircraft avionic installations (Cat ‘W’ class 1, 2 & 3), avionic equipment overhaul (Cat. ‘X’, class 1, 2 & 3), propeller (class X4), and welding processes (class X5).
Deviation Authority	An authorisation that permits an alternate means of compliance with CAR. The deviation authority must meet the procedural requirements of SA-CAR Part 11.
Limitation	A restriction imposed on the corresponding rating based on the AMO capability.
Limited Rating	Rating issued to an AMO that maintains or repairs only a particular type of radio, instrument, or accessory, or part thereof, or performs only specialized maintenance requiring equipment and skills not ordinarily performed under other AMO ratings. Such a rating may be limited to a specific model or constituent part, or to any number of parts made by a particular manufacturer and shall be restricted to those items listed on an approved capability listing as defined in CAR 145.01.6 (h)
Capability List	A document compiled by the AMO and approved by the SACAA, which details a comprehensive list of all the components/equipment that the AMO is capable of maintaining. <i>Note: This list is mandatory for category ‘B’, ‘D’ and ‘X’, unless such list of components and repair limitations can be accommodated in the space provided.</i>
Special processes	A set of interrelated or interacting activities which transforms inputs into outputs. Examples are: NDT, Electro Plating, Plasma Spraying, etc.
Satellite Facility	Means any facility used for the performance of maintenance under part 145 approval but is located at another location than the principal place of business (main base) but is an integral part of the organization
Line Station	For the purpose of this document, means any maintenance facility that is utilized to perform any action that is mandatory, or is required to be performed on an aircraft for the purposes of a turn around, or a route check, or a transit check and is limited to defects rectification repairable by replacement of line replaceable units.
Class	Means classes of aircraft, engines and items of equipment as defined in SA-CATS-145.01.7.6

PART C	CATEGORY A – RATINGS		
LIMITATIONS OF CAT A RATING MAY BE AS FOLLOWS: 1. Release to Service (Full): All the listed below 2. Certify as per AMP: Can only certify work accomplished as stipulated in the AMP (Limited to A, B, C or D checks or block checks or MPI's only) 3. Certify assembly: Can only certify assembly of an aircraft airframe with any adjustment or minor modification on that airframe 4. Certify installation: Can only replace or install completed subassemblies/equipment/components on the airframe 5. Certify safe for flight: CAN ONLY RELEASE FOR A TEST OR FERRY FLIGHT.			
CLASS	MANUFACTURER	MAKE/MODEL	LIMITATIONS
8	AIRBUS	A320 Series	Full Release to Service
		A340-500	Line maintenance up to and including A-checks - Hangar , Safair Campus, OR Tambo International Airport, Johannesburg. C-check SAA Hangar 7
		A340-600	Line maintenance up to and including A-checks - Hangar , Safair Campus, OR Tambo International Airport, Johannesburg. C-check SAA Hangar 7
I hereby accept the conditions and limitations set forth in this approval as stated and contained in this paragraph.			
		H.G. Kruger	25/03/2026
SIGNATURE OF AMO REPRESENTATIVE		NAME IN BLOCK LETTERS	DATE
JOB TITLE	Manager, Quality Assurance 145		AMO No. 1287
I hereby approve the Operations Specifications contained in this paragraph.			
Date approval is effective:		20/03/2026 d d m m y y y y	Revision Number: 24
		Mr. Lobang Thabantso Senior Manager: Airworthiness	20/03/2026
SIGNATURE OF SM: AIRWORTHINESS OR MANAGER		NAME IN BLOCK LETTERS	DATE

PART D		CATEGORY B – RATINGS			
LIMITATIONS OF CAT B RATING MAY BE AS FOLLOWS: 1. Release to Service (Full): All the listed below 2. Certify Overhaul: Can only certify overhaul, repair and modifications on airframe components as per the Capability list. This does not include D, X and W rating items. 3. Certify manufacturer: Certify components and parts manufactured in accordance with the appropriate approved specifications as prescribed in <u>Part 21</u> , if the manufacturing of the components and parts is necessary for the holder of the approval to complete a repair, modification or overhaul on a particular airframe component. This does not include D, X and W rating components. (This will be covered by the Capability List as well).					
CLASS	MANUFACTURER	MAKE/MODEL	LIMITATIONS	CAPABILITY LIST	
8	AIRBUS	A320 Series	Structural work and repairs as per OEM approved data	Doc No: Cap List GAT-QAA-031 As amended.	
		A340-500	Structural work and repairs as per OEM approved data	Doc No: Cap List GAT-QAA-031 As amended.	
		A340-600	Structural work and repairs as per OEM approved data.	Doc No: Cap List GAT-QAA-031 As amended.	
WHEELS AND BRAKES	Various	BRAKES	Repair and Overhaul as per OEM approved data.	Doc No: Cap List GAT-QAA-031 As amended.	
		WHEELS	Repair and Overhaul as per OEM approved data.	Doc No: Cap List GAT-QAA-031 As amended.	
VARIOUS	VARIOUS	LANDING GEAR	Repair and Overhaul as per OEM approved data.	Doc No: Cap List GAT-QAA-031 As amended.	
I hereby accept the conditions and limitations set forth in this approval as stated and contained in this paragraph.					
		H.G. Kruger		25/03/2026	
SIGNATURE OF AMO REPRESENTATIVE		NAME IN BLOCK LETTERS		DATE	
JOB TITLE	Manager, Quality Assurance 145			AMO No.	1287
I hereby approve the Operations Specifications contained in this paragraph.					
Date approval is effective:		20/03/2026		Revision Number:	
		d	d	m	m
		y	y	y	y
		20/03/2026		24	
		Mr. Lobang Thabantso Senior Manager: Airworthiness		20/03/2026	
SIGNATURE OF SM: AIRWORTHINESS OR MANAGER		NAME IN BLOCK LETTERS		DATE	

PART E	CATEGORY C – RATINGS		
LIMITATIONS OF CAT C RATING MAY BE AS FOLLOWS:			
1. Release to Service (Full): All the listed below 2. Certify as per AMP: Can only certify work accomplished as stipulated in the AMP (Limited to A, B, C or D checks or block checks or MPI's only, this would be specific to the Engine and/or Propellers) 3. Certify assembly: Can only certify any adjustment and/or minor modification and/or maintenance and/or replacement of external components performed on engines and/or propellers whilst fitted on a particular aeroplane 4. Certify installation: Certify the installation of Engines and/or propellers/engine subassemblies/engine external components 5. Certify safe for flight: Can only release an engine for a test or ferry flight.			
CLASS	MANUFACTURER	MAKE/MODEL	LIMITATIONS
05	International Aero Engines (IAE)	V2500 A1	Full Release to Service
		V2527-A5	Full Release to Service
	Rolls Royce	RB211 Trent 500	Line maintenance up to and including A-checks - Hangar , Safair Campus, OR Tambo International Airport, Johannesburg. C-check SAA Hangar 7
I hereby accept the conditions and limitations set forth in this approval as stated and contained in this paragraph.			
		H.G. Kruger	25/03/2026
SIGNATURE OF AMO REPRESENTATIVE		NAME IN BLOCK LETTERS	DATE
JOB TITLE	Manager, Quality Assurance 145		AMO No. 1287
I hereby approve the Operations Specifications contained in this paragraph.			
Date approval is effective:	20/03/2026		Revision Number: 24
		Mr. Lobang Thabantso Senior Manager: Airworthiness	20/03/2026
SIGNATURE OF SM: AIRWORTHINESS OR MANAGER		NAME IN BLOCK LETTERS	DATE

PART F	CATEGORY D - RATINGS										
LIMITATIONS OF CAT D RATING MAY BE AS FOLLOWS: 1. Release to Service (Full): All the listed below 2. Certify Overhaul: Can only certify overhaul, repair and modifications on an Engine and/or engine accessories as per the Capability list. This does not include B, X and W rating components. (All Avionic and Electrical components). 3. Certify manufacturer: certify components and parts manufactured in accordance with the appropriate approved specifications as prescribed in <u>part 21</u> , if the manufacturing of the components and parts is necessary for the engine type on the certificate holder's approval, in order to complete a repair, modification or overhaul on a particular engine. this does not include B, X and W rating components. (This will be covered by the capability list as well).											
CLASS	MANUFACTURER	MAKE/MODEL	LIMITATIONS	CAPABILITY LIST							
05	International Aero Engines (IAE)	V2500 A1	Release to Service, Inspection, Boroscope, Repair, and Engine preservation.	DOC, NO Capability List GAT QAA-031. As Amended							
I hereby accept the conditions and limitations set forth in this approval as stated and contained in this paragraph.											
		H.G. Kruger		25/03/2026							
SIGNATURE OF AMO REPRESENTATIVE		NAME IN BLOCK LETTERS		DATE							
JOB TITLE	Manager, Quality Assurance 145			AMO No. 1287							
I hereby approve the Operations Specifications contained in this paragraph.											
Date approval is effective:		20/03/2026									
		d	d	m	m	y	y	y	y	Revision Number:	24
 FOR DIRECTOR OF CIVIL AVIATION		Mr. Lobang Thabantso Senior Manager: Airworthiness			20/03/2026						
SIGNATURE OF SM: AIRWORTHINESS OR MANAGER		NAME IN BLOCK LETTERS			DATE						

PART G		CATEGORY E – RATINGS					
LIMITATIONS OF CAT E RATING MAY BE AS FOLLOWS: 1. Release to Service (Full): All the listed below 2. Certify as per AMP: Can only certify work accomplished as stipulated in the AMP (Limited to A, B, C or D checks or block checks or MPI's only, this would be specific to the Rotorcraft) 3. Certify assembly: Can only certify the assembly of Rotorcraft with any adjustment or minor modification on that Rotorcraft. 4. Certify installation: Can only replace or install completed subassemblies/equipment/components. This does not include X and W rating components. 5. Certify safe for flight: Can only release for a test or ferry flight.							
CLASS		MANUFACTURER		MAKE/MODEL		LIMITATIONS	
Unauthorized							
I hereby accept the conditions and limitations set forth in this approval as stated and contained in this paragraph.							
		H.G. Kruger			25/03/2026		
SIGNATURE OF AMO REPRESENTATIVE		NAME IN BLOCK LETTERS			DATE		
JOB TITLE		Manager, Quality Assurance 145				AMO No.	
						1287	
I hereby approve the Operations Specifications contained in this paragraph.							
Date approval is effective:		20/03/2026				Revision Number:	
		d	d	m	m	y	y
		y	y	y	y	24	
		Mr. Lobang Thabantso Senior Manager: Airworthiness			20/03/2026		
SIGNATURE OF SM: AIRWORTHINESS OR MANAGER		NAME IN BLOCK LETTERS			DATE		

PART H	CATEGORY W – RATINGS			
LIMITATIONS OF CAT W RATING MAY BE AS FOLLOWS: 1. Release to Service (Full): All the listed below 2. Certify as per AMP: Can only certify work accomplished as stipulated in the AMP (Limited to A, B, C or D checks or block checks or MPI's only, this would be specific to the Aircraft, Engine or Rotorcraft) 3. Certify minor maintenance: Can only certify adjustment or minor modification on those specific W rating components and W rating work on aircraft. The approval will be limited to specific aircraft and engine types, and those specific components that can be covered by the Organisation approval. (This will be covered by the Capability List as well) 4. Certify installation: Can only replace or install completed subassemblies.				
CLASS	MANUFACTURER	MAKE/MODEL	LIMITATIONS	
W1 W2 W3	AIRBUS	A320 Series	Full Release to Service	
		A340-500	Line Maintenance up to and including A-Checks - Hangar 5, Safair Campus, OR Tambo International Airport, Johannesburg	
		A340-600	Line Maintenance up to and including A-Checks - Hangar 5, Safair Campus, OR Tambo International Airport, Johannesburg	
I hereby accept the conditions and limitations set forth in this approval as stated and contained in this paragraph.				
		H.G. Kruger		25/03/2026
SIGNATURE OF AMO REPRESENTATIVE		NAME IN BLOCK LETTERS		DATE
JOB TITLE	Manager, Quality Assurance 145			AMO No. 1287
I hereby approve the Operations Specifications contained in this paragraph.				
Date approval is effective:		20/03/2026		Revision Number: 24
 FOR DIRECTOR OF CIVIL AVIATION		Mr. Lobang Thabantso Senior Manager: Airworthiness		20/03/2026
SIGNATURE OF SM: AIRWORTHINESS OR MANAGER		NAME IN BLOCK LETTERS		DATE

PART I		CATEGORY X – RATINGS									
LIMITATIONS OF CAT X RATING MAY BE AS FOLLOWS: 1. Release to Service (Full): All the listed below 2. Certify Overhaul: Can only certify overhaul, repair and modified Airframe, Rotorcraft and Engine components as per the Capability list. These are X rating components only. (All Avionic and Electrical components). 3. Certify manufacturer: Certify components and parts manufactured in accordance with the appropriate approved specifications as prescribed in <u>Part 21</u> , if the manufacturing of the components and parts is necessary for the holder of the approval to complete a repair, modification or overhaul on a particular component/ subassembly/ aircraft/ engine. This does not include B and D rating components. (This will be covered by the Capability List as well).											
CLASS	MANUFACTURER	MAKE/MODEL	LIMITATIONS				CAPABILITY LIST				
X5	AIRBUS	A320 Series	Certify Aircraft Painting - Limited to interior and exterior painting of aircraft and components in accordance with Approved Data requirements. (The facility must be able to accommodate the Aircraft Type in its entirety)				Capability covered in the Limitation Block				
I hereby accept the conditions and limitations set forth in this approval as stated and contained in this paragraph.											
		H.G. Kruger				25/03/2026					
SIGNATURE OF AMO REPRESENTATIVE		NAME IN BLOCK LETTERS				DATE					
JOB TITLE		Manager, Quality Assurance 145				AMO No.		1287			
I hereby approve the Operations Specifications contained in this paragraph.											
Date approval is effective:		20/03/2026				Revision Number:		24			
		Mr. Lobang Thabantso Senior Manager: Airworthiness				20/03/2026					
SIGNATURE OF SM: AIRWORTHINESS OR MANAGER		NAME IN BLOCK LETTERS				DATE					

PART J	LIMITED RATINGS						
For specialised services the operations specifications must contain the specification used to perform the specialized service. The specification may be— 1. A civil or military specification currently used by industry and approved by the Director; or 2. A specification developed by the applicant and approved by the Director.							
PROCESS	DESCRIPTION	REFERENCE STANDARD	LIMITATIONS				
Unauthorized							
I hereby accept the conditions and limitations set forth in this approval as stated and contained in this paragraph.							
		H.G. Kruger	25/03/2026				
SIGNATURE OF AMO REPRESENTATIVE		NAME IN BLOCK LETTERS	DATE				
JOB TITLE	Manager, Quality Assurance 145		AMO No. 1287				
I hereby approve the Operations Specifications contained in this paragraph.							
Date approval is effective:	20/03/2026			Revision Number:	24		
	d	d	m			m	y
		Mr. Lobang Thabantso Senior Manager: Airworthiness	20/03/2026				
SIGNATURE OF SM: AIRWORTHINESS OR MANAGER		NAME IN BLOCK LETTERS	DATE				

PART K	EXEMPTION & DEVIATION AUTHORITY		
The certificate holder is authorised to perform operations in accordance with the provisions, conditions, and/or limitations set forth in the following deviations listed in the table below.			
DEVIATION DESCRIPTION	DATE OF INCEPTION	DATE OF TERMINATION	REMARKS/REFERENCE
Unauthorized			
I hereby accept the conditions and limitations set forth in this approval as stated and contained in this paragraph.			
	H.G. Kruger	25/03/2026	
SIGNATURE OF AMO REPRESENTATIVE	NAME IN BLOCK LETTERS	DATE	
JOB TITLE	Manager, Quality Assurance 145	AMO No.	1287
I hereby approve the Operations Specifications contained in this paragraph.			
Date approval is effective:	20/03/2026	Revision Number:	24
	d d m m y y y y		
	Mr. Lobang Thabantso Senior Manager: Airworthiness	20/03/2026	
SIGNATURE OF SM: AIRWORTHINESS OR MANAGER	NAME IN BLOCK LETTERS	DATE	

PART L		SATELLITE FACILITIES & LINE STATION RATINGS			
PHYSICAL LOCATION (Address)	CATEGORY/CLASS	MANUFACTURER	MAKE/MODEL	LIMITATIONS	EXPIRY DATE
Cape Town International Airport	05	International Aero Engines (IAE)	V2500 A1	C Limited to Line Maintenance	As per Approval Certificates
Cape Town International Airport	05	International Aero Engines (IAE)	V2527-A5	C Limited to Line Maintenance	As per Approval Certificates
Cape Town International Airport	8	AIRBUS	A320 Series	A and W Limited to Line Maintenance	As per Approval Certificates
Letiště Brno - Tuřany Airport	05	International Aero Engines (IAE)	V2500 A1	C Line Maintenance up to and Including A-check	As per Approval Certificates
Letiště Brno - Tuřany Airport	05	International Aero Engines (IAE)	V2527-A5	C Line Maintenance up to and Including A-check	As per Approval Certificates
Letiště Brno - Tuřany Airport	8	AIRBUS	A320 Series	A and W Line Maintenance up to and Including A-check	As per Approval Certificates
Global Aerotech OR Tambo Line	05	International Aero Engines (IAE)	V2500 A1	C Limited to Line Maintenance	As per Approval Certificates
Global Aerotech OR Tambo Line	05	International Aero Engines (IAE)	V2527-A5	C Limited to Line Maintenance	As per Approval Certificates
Global Aerotech OR Tambo Line	8	AIRBUS	A320 Series	A and W Limited to Line Maintenance	As per Approval Certificates
Global Aerotech Prague Czechia	05	International Aero Engines (IAE)	V2500 A1	C Line Maintenance up to and Including A-check	As per Approval Certificates
Global Aerotech Prague Czechia	05	International Aero Engines (IAE)	V2527-A5	C Line Maintenance up to and Including A-check	As per Approval Certificates
Global Aerotech Prague Czechia	8	AIRBUS	A320 Series	A and W Line Maintenance up to and Including A-check	As per Approval Certificates
Global Aerotech Libreville Gabon Leon Mba Airport	05	International Aero Engines (IAE)	V2500 A1	C Line Maintenance up to and Including A-check	As per Approval Certificates
Global Aerotech Libreville Gabon Leon Mba Airport	05	International Aero Engines (IAE)	V2527-A5	C Line Maintenance up to and Including	As per Approval Certificates

				A-check	
Global Aerotech Libreville Gabon Leon Mba Airport	8	AIRBUS	A320 Series	A and W Line Maintenance up to and Including A-check	As per Approval Certificates
I hereby accept the conditions and limitations set forth in this approval as stated and contained in this paragraph.					
		H.G. Kruger		25/03/2026	
SIGNATURE OF AMO REPRESENTATIVE		NAME IN BLOCK LETTERS		DATE	
JOB TITLE	Manager, Quality Assurance 145			AMO No.	1287
I hereby approve the Operations Specifications contained in this paragraph.					
Date approval is effective:	20/03/2026				Revision Number:
	d	d	m	m	y
					y
					y
					y
 FOR DIRECTOR OF CIVIL AVIATION		Mr. Lobang Thabantso Senior Manager: Airworthiness		20/03/2026	
SIGNATURE OF SM: AIRWORTHINESS OR MANAGER		NAME IN BLOCK LETTERS		DATE	